



Certificate of Analysis
Compliance Test

Client Information:

OUTPOST BRANDS

475 CARSWELL
DAYTONA BEACH, FL 32117

Batch # N03237
Batch Date: 2024-02-09
Extracted From: Kratom

Cultivation Date: 0000-00-00
Production Date: 0000-00-00

Order # OUT240209-030001
Order Date: 2024-02-09
Sample # AAFH285
Number of Units: 1
Net Weight per Unit: 44477.000 mg
Sampling Method: MSP 7.3.1

Sampling Date: 2024-02-13
Lab Batch Date: 2024-02-13
Completion Date: 2024-02-16

Serving Number: 10.00000

Initial Gross Weight: 80.277 g
Net Weight: 44.477 g



Kratom
Tested

Kratom Alkaloids *

Specimen Weight: 1513.100 mg

Tested

SOP 13.062 Kratom Alkaloids (LCMS)

Total Detectable Alkaloids

Total Kratom Alkaloids Per Package
1.753%

Total Kratom Alkaloids Per Serving
77.9682mg

Analyte	LOQ (%)	Result (mg/g)	(%)
Paynantheine	0.00146	9.2840	0.9284
Mitragynine	0.00146	6.6300	0.663
Speciociliatine	0.00146	0.9297	0.09297
Speciogynine	0.00146	0.6687	0.06687
Corynoxine B	0.00146	0.0153	0.00153
7-Hydroxy Mitragynine	0.00146	<LOQ	<LOQ
Isorhynchophylline	0.00146	<LOQ	<LOQ
Mitraphylline	0.00146	<LOQ	<LOQ

Prep. By: 1195 Date: 2024-02-14 19:14:28 Analyzed By: 1252 Date: 2024-02-13 20:31:24
Reviewed By: 1050 Date: 2024-02-16 07:26:30 Lab Batch #: AAFH285-412 Date: 2024-02-16 07:26:30

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

