aboratories +1-833-KCA-LABS th Plaza Drive https://kcalabs.com sville. KY 40356 KDA Lic.# P_0058

1 of 1

Domewrecker Great White Shark 3.5G Dispo

Sample ID: SA-240716-44386 Batch: Not Specified

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (q):

Received: 07/31/2024 Completed: 08/12/2024 Client

Simple Inc 980 W 17th ST Santa Ana, CA 92706

USA



Summary

TestCannabinoids

Date Tested 08/12/2024

Status Tested

ND Δ9-THC **69.9 %** Δ8-THC 76.9 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

, , , , , , , , , , , , , , , , , , ,				
Analyte	LOD	LOQ	Result	Result
	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	1.22	12.2
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.719	7.19
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.146	1.46
Δ4,8-iso-THC	0.0067	0.02	ND	ND
Δ8-iso-THC	0.0067	0.02	0.0675	0.675
Δ8-ΤΗС	0.0104	0.0312	69.9	699
Δ8-ΤΗСΡ	0.0067	0.02	ND	ND
Δ8-ΤΗCV	0.0067	0.02	0.157	1.57
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	3.81	38.1
Δ9-ΤΗСΡ	0.0067	0.02	0.925	9.25
Δ9-ΤΗCV	0.0069	0.0206	ND	ND
Δ9-ΤΗCVA	0.0062	0.0186	ND	ND
Total Δ9-THC			3.35	33.5
Total			76.9	769

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THC + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone

CCO Date: 08/12/2024 Tested By: Nicholas Howard Scientist Date: 08/12/2024





ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.