KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

Test

Cannabinoids

Status

Tested

Client

USA

**Date Tested** 

08/12/2024

Simple Inc

980 W 17th ST

Santa Ana, CA 92706

1 of 1

## Sample ID: SA-240716-44385 Batch: Not Specified Received: 07/31/2024 Type: Finished Product - Inhalable Completed: 08/12/2024 Matrix: Concentrate - Distillate Unit Mass (g):



Domewrecker Rainbow Runtz 2x2 Carts

kca

ND	70.1 %	77.1 %	Not Tested	Not Tested	Yes
Δ9-ТНС	Δ8-ТНС	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

## Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD	LOQ	Result	Result			
	(%)	(%)	(%)	(mg/g)			
CBC	0.0095	0.0284	ND	ND			
CBCA	0.0181	0.0543	ND	ND			
CBCV	0.006	0.018	ND	ND			
CBD	0.0081	0.0242	1.21	12.1			
CBDA	0.0043	0.013	ND	ND			
CBDV	0.0061	0.0182	ND	ND			
CBDVA	0.0021	0.0063	ND	ND			
CBG	0.0057	0.0172	ND	ND			
CBGA	0.0049	0.0147	ND	ND			
CBL	0.0112	0.0335	ND	ND			
CBLA	0.0124	0.0371	ND	ND			
CBN	0.0056	0.0169	0.715	7.15			
CBNA	0.006	0.0181	ND	ND			
CBT	0.018	0.054	0.154	1.54			
∆4,8-iso-THC	0.0067	0.02	ND	ND			
Δ8-iso-THC	0.0067	0.02	0.0595	0.595			
Δ8-THC	0.0104	0.0312	70.1	701			
Δ8-THCP	0.0067	0.02	ND	ND			
Δ8-THCV	0.0067	0.02	0.145	1.45			
Δ9-THC	0.0076	0.0227	ND	ND			
Δ9-ΤΗCΑ	0.0084	0.0251	3.82	38.2			
Δ9-ΤΗCΡ	0.0067	0.02	0.948	9.48			
Δ9-ΤΗϹ٧	0.0069	0.0206	ND	ND			
Δ9-ΤΗϹVΑ	0.0062	0.0186	ND	ND			
Total Δ9-THC			3.35	33.5			
Total			77.1	771			

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone Tested By: Nicholas Howard CCO Scientist Date: 08/12/2024 Date: 08/12/2024



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.