

## Trap'd Out- 3ml Syringe- Gas Face

Sample ID: SA-251201-73457

Batch: #001

Type: Raw Material

Matrix: Concentrate - Distillate

Serving Size (g):

Unit Volume (mL): , Density (g/mL):

Received: 12/03/2025

Completed: 12/11/2025

### Client

Simple Inc  
980 W 17th ST  
Santa Ana, CA 92706  
USA



### Summary

Test  
Cannabinoids

Date Tested  
12/11/2025

Status  
Tested

<LOQ	39.6 %	87.7 %	Not Tested	Not Tested	Yes
Total Δ9-THC	(6aR,9R,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Generated By: Ryan Bellone  
Commercial Director  
Date: 12/11/2025

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



**Trap'd Out- 3ml Syringe- Gas Face**

Sample ID: SA-251201-73457

Batch: #001

Type: Raw Material

Matrix: Concentrate - Distillate

Serving Size (g):

Unit Volume (mL): , Density (g/mL):

Received: 12/03/2025

Completed: 12/11/2025

**Client**

Simple Inc  
980 W 17th ST  
Santa Ana, CA 92706  
USA

**Cannabinoids by HPLC-PDA and GC-MS/MS**

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.0411	0.411
CBDA	0.0043	0.013	ND	ND
CBDP	0.0133	0.04	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.323	3.23
CBNA	0.006	0.0181	ND	ND
CBNP	0.0133	0.04	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0133	0.04	1.01	10.1
Δ6a,10a-THC	0.0133	0.04	ND	ND
Δ8-iso-THC	0.0133	0.04	0.0751	0.751
Δ8-THC	0.0104	0.0312	17.5	175
Δ8-THCP	0.0133	0.04	0.399	3.99
Δ8-THCV	0.0133	0.04	ND	ND
Δ9-THC	0.0076	0.0227	<LOQ	<LOQ
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCP	0.0133	0.04	3.92	39.2
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R)-Δ10-THC	0.0133	0.04	ND	ND
(6aR,9S)-Δ10-THC	0.0133	0.04	ND	ND
exo-THC	0.0133	0.04	ND	ND
(6aR,9R,10aR)-HHC	0.0133	0.04	39.6	396
(6aR,9S,10aR)-HHC	0.0133	0.04	24.8	248
9R-HHCP	0.0133	0.04	ND	ND
9S-HHCP	0.0133	0.04	ND	ND
<b>Total Δ9-THC</b>			<LOQ	<LOQ
<b>Total</b>			<b>87.7</b>	<b>877</b>

ND = Not Detected; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; NT = Not Tested; UA = Unsuitable for Analysis; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



Generated By: Ryan Bellone  
Commercial Director  
Date: 12/11/2025



Tested By: Nicholas Howard  
Scientist  
Date: 12/11/2025

ISO/IEC 17025:2017 Accredited  
Accreditation #108651


This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.