

PharmLabs San Diego Certificate of Analysis

Sample Trap'd Out D9 Gummies - Blue Razz Watermelon PASS

Delta9 THC	0.24%	THCa	ND	Total THC (THCa * 0.877 + THC)	0.24%	Delta8 THC	<LOQ
------------	-------	------	----	--------------------------------	-------	------------	------



Sample ID	SD260709-093 (142664)	Matrix	Edible	Lot ID	BRW1 Lot Date: 06/22/26BB: 06/22/28
Distributor License	090008555	Address	1007 Grove St, Orange, CA 92865	Name	Simple Inc
Cultivator/Manufacturer/Microbusiness License	-	Address	2550 Red Hill Ave Santa Ana, CA 92705	Name	Simple Inc
Sampler	Justin Altnu	Received	Jul 09, 2026	Reported	Jul 17, 2026
Analyses executed	TX-FP	Unit Mass (g)	175.628	Num. of Servings	15
				Expiration	Jul 17, 2027
				Serving Size (g)	11.71

CANx - Cannabinoids PASS

Analyzed Jul 13, 2026 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
11-Hydroxy-Δ8-Tetrahydrocannabinavin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND	ND	ND
Cannabidiolcin (CBDO)	0.006	0.02	ND	ND	ND	ND
Abnormal Cannabidiolcin (a-CBDO)	0.013	0.038	ND	ND	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC)	0.015	0.045	ND	ND	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.015	0.045	ND	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.033	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Cannabigerol (CBG)	0.048	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Cannabidiol (CBD)	0.069	0.229	<LOQ	<LOQ	<LOQ	<LOQ
1(S)-Tetrahydrocannabinol (1(S)-H4-CBD)	0.008	0.026	ND	ND	ND	ND
1(R)-Tetrahydrocannabinol (1(R)-H4-CBD)	0.016	0.049	ND	ND	ND	ND
Tetrahydrocannabinavin (THCV)	0.049	0.162	ND	ND	ND	ND
Δ8-tetrahydrocannabinavin (Δ8-THCV)	0.012	0.036	ND	ND	ND	ND
Cannabidihexol (CBDH)	0.014	0.042	ND	ND	ND	ND
Tetrahydrocannabinol (Δ9-THCB)	0.01	0.029	<LOQ	<LOQ	<LOQ	<LOQ
Cannabinol (CBN)	0.047	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Cannabidiophorol (CBDP)	0.016	0.049	ND	ND	ND	ND
exo-THC (exo-THC)	0.016	0.8	ND	ND	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	0.24	2.36	27.64	414.48
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	<LOQ	<LOQ	<LOQ	<LOQ
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.8	ND	ND	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.8	ND	ND	ND	ND
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.8	ND	ND	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.8	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND	ND	ND
Δ9-Tetrahydrocannabinol (Δ9-THCH)	0.02	0.061	ND	ND	ND	ND
Cannabinol Acetate (CBNO)	0.009	0.027	ND	ND	ND	ND
9(S)-Hexahydrocannabinolic Acid (9(S)-HHCa)	0.063	0.065	ND	ND	ND	ND
9(R)-Hexahydrocannabinolic Acid (9(R)-HHCa)	0.191	0.196	ND	ND	ND	ND
Δ9-Tetrahydrocannabinophorol (Δ9-THCP)	0.017	0.8	ND	ND	ND	ND
Δ8-Tetrahydrocannabinophorol (Δ8-THCP)	0.041	0.8	ND	ND	ND	ND
Cannabicitran (CBT)	0.005	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.8	ND	ND	ND	ND
9(S)-HHCP (s-HHCP)	0.013	0.041	ND	ND	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.8	ND	ND	ND	ND
9(R)-HHCP (r-HHCP)	0.015	0.045	ND	ND	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.037	0.112	ND	ND	ND	ND
9(R)-HHC-O-acetate (r-HHCO)	0.031	0.093	ND	ND	ND	ND
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.021	0.062	ND	ND	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			0.24	2.36	27.64	414.48
Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			0.24	2.36	27.64	414.48
Total CBD (CBDa * 0.877 + CBD)			<LOQ	<LOQ	<LOQ	<LOQ
Total CBG (CBGa * 0.877 + CBG)			<LOQ	<LOQ	<LOQ	<LOQ
Total HHC (9r-HHC + 9s-HHC)			ND	ND	ND	ND
Total Cannabinoids Analyzed			0.24	2.36	27.64	414.48

HME - Heavy Metals PASS

Analyzed Jul 15, 2026 | Instrument ICP/MSMS | Method SOP-005
The expanded Uncertainty of the Heavy Metals analysis is approximately ±2.2% at the 95% Confidence Level

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	
Cadmium (Cd)	0.0005	0.0015	<LOQ	
Mercury (Hg)	0.0058	0.0174	ND	
Lead (Pb)	0.0006	0.0018	0.00	

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 17 Jul 2026 08:57:03 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This Certificate of Analysis (COA) shall not be reproduced, except in full, without the prior written approval of PharmLabs. Reported results apply only to the specific samples and batches identified herein and are not intended to represent any other lot, batch, or product. When a Pass/Fail status is reported, that status is determined in reference to the applicable federal, state, and local regulatory limits provided by the State. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state, or local regulations, in which case it is reported on the COA. Measurement of uncertainty is available upon request. PharmLabs makes no representation or warranty, express or implied, that the COA demonstrates product safety, efficacy, merchantability, or fitness for any particular use. It is the sole responsibility of the client or product manufacturer to determine compliance of their product(s) with all applicable federal, state, and local laws and regulations. PharmLabs shall not be liable for any damages, claims, or liabilities arising from the use, misuse, alteration, or reliance upon this COA by any third party. This COA is valid only as of the date of issuance. PharmLabs does not warrant the stability of the product beyond the date tested. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

MIBNIG - Microbial

PASS

Analyzed Jul 14, 2026 | Instrument Plating | Method SOP-007
The expanded Uncertainty of the Microbial analysis is approximately ±2.0% at the 95% Confidence Level

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	
Salmonella spp.	1.0	1.0	ND	

MTO - Mycotoxin

PASS

Analyzed Jul 10, 2026 | Instrument LC/MSMS | Method SOP-004
The expanded Uncertainty of the Mycotoxin analysis is approximately ±1.96% at the 95% Confidence Level

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND		Aflatoxin B1	2.5	5.0	ND	
Aflatoxin B2	2.5	5.0	ND		Aflatoxin G1	2.5	5.0	ND	
Aflatoxin G2	2.5	5.0	ND		Total Aflatoxins	10.0	20.0	ND	

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 17 Jul 2026 08:57:03 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This Certificate of Analysis (COA) shall not be reproduced, except in full, without the prior written approval of PharmLabs. Reported results apply only to the specific samples and batches identified herein and are not intended to represent any other lot, batch, or product. When a Pass/Fail status is reported, that status is determined in reference to the applicable federal, state, and local regulatory limits provided by the State. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state, or local regulations, in which case it is reported on the COA. Measurement of uncertainty is available upon request. PharmLabs makes no representation or warranty, express or implied, that this COA demonstrates product safety, efficacy, merchantability, or fitness for any particular use. It is the sole responsibility of the client or product manufacturer to determine compliance of their product(s) with all applicable federal, state, and local laws and regulations. PharmLabs shall not be liable for any damages, claims, or liabilities arising from the use, misuse, alteration, or reliance upon this COA by any third party. This COA is valid only as of the date of issuance. PharmLabs does not warrant the stability of the product beyond the date tested. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides PASS

Analyzed Jul 10, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003
The expanded Uncertainty of the Pesticides analysis is approximately ±1.96% at the 95% Confidence Level

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclobutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Propfos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Abamectin	0.03	0.08	ND	
Acephate	0.02	0.05	ND		Acetamiprid	0.01	0.05	ND	
Azoxystrobin	0.01	0.02	ND		Bifenazate	0.01	0.05	ND	
Bifenthrin	0.02	0.35	ND		Boscalid	0.01	0.03	ND	
Carbaryl	0.01	0.02	ND		Chlorantranilprole	0.01	0.04	ND	
Clofentezine	0.01	0.03	ND		Diazinon	0.01	0.02	ND	
Dimethomorph	0.02	0.06	ND		Etoxazole	0.01	0.05	ND	
Fenpyroximate	0.02	0.1	ND		Flonicamid	0.01	0.02	ND	
Fludioxonil	0.01	0.05	ND		Hexythiazox	0.01	0.03	ND	
Imidacloprid	0.01	0.05	ND		Kresoxim-methyl	0.01	0.03	ND	
Malathion	0.01	0.05	ND		Metalaxyl	0.01	0.02	ND	
Methomyl	0.02	0.05	ND		Myclobutanil	0.02	0.07	ND	
Naled	0.01	0.02	ND		Oxamyl	0.01	0.02	ND	
Permethrin	0.01	0.02	ND		Phosmet	0.01	0.02	ND	
Piperonyl Butoxide	0.02	0.06	ND		Propiconazole	0.03	0.08	ND	
Prallethrin	0.02	0.05	ND		Pyrethrin	0.05	0.41	ND	
Pyridaben	0.02	0.07	ND		Spinosad A	0.01	0.05	ND	
Spinosad D	0.01	0.05	ND		Spiromesifen	0.02	0.06	ND	
Spirotetramat	0.01	0.02	ND		Tebuconazole	0.01	0.02	ND	
Thiamethoxam	0.01	0.02	ND		Trifloxystrobin	0.01	0.02	ND	
Acequinocyl	0.02	0.09	ND		Captan	0.01	0.02	ND	
Cypermethrin	0.02	0.1	ND		Cyfluthrin	0.04	0.1	ND	
Fenhexamid	0.02	0.07	ND		Spinetoram J,L	0.02	0.07	ND	
Pentachloronitrobenzene	0.01	0.1	ND						

RES - Residual Solvents PASS

Analyzed Jul 15, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006
The expanded Uncertainty of the Residual Solvents analysis is approximately ±6.88% at the 95% Confidence Level

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND		Butane (But)	0.02	0.4	ND	
Methanol (Metha)	1.176	3.92	<LOQ		Ethylene Oxide (EthOx)	0.08	0.4	ND	
Pentane (Pen)	0.024	0.4	ND		Ethanol (Ethan)	0.048	0.4	ND	
Ethyl Ether (EthEt)	0.036	0.4	ND		Acetone (Acet)	0.044	0.4	ND	
Isopropanol (Z-Pro)	1.16	3.868	<LOQ		Acetonitrile (Acetonit)	0.888	2.952	ND	
Methylene Chloride (MetCh)	0.04	0.4	ND		Hexane (Hex)	0.012	0.4	ND	
Ethyl Acetate (EthAc)	0.032	0.4	ND		Chloroform (Clo)	0.028	0.4	ND	
Benzene (Ben)	0.012	0.4	ND		1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	
Heptane (Hep)	0.012	0.4	ND		Trichloroethylene (TriClEth)	0.072	0.4	ND	
Toluene	0.036	0.4	ND		Xylenes (Xyl)	0.012	0.4	ND	

FVI - Filth & Foreign Material Inspection PASS

Analyzed Jul 09, 2026 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 17 Jul 2026 08:57:03 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This Certificate of Analysis (COA) shall not be reproduced, except in full, without the prior written approval of PharmLabs. Reported results apply only to the specific samples and batches identified herein and are not intended to represent any other lot, batch, or product. When a Pass/Fail status is reported, that status is determined in reference to the applicable federal, state, and local regulatory limits provided by the State. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state, or local regulations, in which case it is reported on the COA. Measurement of uncertainty is available upon request. PharmLabs makes no representation or warranty, express or implied, that the COA demonstrates product safety, efficacy, merchantability, or fitness for any particular use. It is the sole responsibility of the client or product manufacturer to determine compliance of their product(s) with all applicable federal, state, and local laws and regulations. PharmLabs shall not be liable for any damages, claims, or liabilities arising from the use, misuse, alteration, or reliance upon this COA by any third party. This COA is valid only as of the date of issuance. PharmLabs does not warrant the stability of the product beyond the date tested. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.